

This listing of claims will replace all prior versions, and listings, of claims in the application:

In the Claims:

---

1. (ORIGINAL) A guide mounted on a shaft for guiding a plurality of spaced apart elongated strands toward a plurality of dispensing outlets capable of dispensing liquid material onto the strands, comprising:

A1 a plurality of discrete strand guide members capable of being supported in spaced apart relationship on the shaft for guiding the strands toward the plurality of dispensing outlets with a predetermined spacing between the strands.

2. (ORIGINAL) The guide of claim 1 further comprising a spacer member positioned intermediate two of said strand guide members and having a predetermined width for spacing said two strand guide members on the shaft.

3. (ORIGINAL) The guide of claim 1 wherein each of said strand guide members comprises an annular disk having a circumferential groove for engaging one of said plurality of strands.

4., (ORIGINAL) A guide mounted on a shaft for guiding a plurality of spaced apart elongated strands toward a plurality of dispensing outlets capable of dispensing liquid material onto the strands, comprising:

a support sleeve capable of being supported on the shaft; and

a plurality of discrete strand guide members supported by and variably positionable along the longitudinal axis of said support sleeve for guiding the strands toward the plurality of dispensing outlets with a predetermined spacing between the strands.

AI  
cont'd  
5. (ORIGINAL) The guide of claim 4 further comprising a spacer member positioned intermediate two of said strand guide members and having a predetermined width for spacing said two strand guide members on the support sleeve.

6. (ORIGINAL) The guide of claim 4 wherein each of said strand guide members comprises an annular disk having a circumferential groove for engaging one of said plurality of strands.

7. (CURRENTLY AMENDED) A liquid dispensing system for dispensing liquid onto a plurality of elongated strands, comprising:

a liquid dispenser having a plurality of dispensing outlets capable of dispensing liquid material onto the strands;

a shaft connected to said liquid dispenser; and

a plurality of discrete strand guide members supported in spaced apart relationship on said shaft for guiding the strands toward said plurality of dispensing outlets with a predetermined spacing between the strands.

AI  
cmtd  
8. (ORIGINAL) The liquid dispensing system of claim 7 further comprising a spacer member positioned intermediate two of said strand guide members and having a predetermined width for spacing said two strand guide members on said shaft.

9-10. WITHDRAWN.

---